



MODULE AIR X18mm




GARAGES, TERRACES AND SWIMMING POOL DECKS

1ST TRIANGULAR CLIP-ON TILE ON THE MARKET

Highly resistant: made of
UV-resistant polypropylene.
Excellent anti-slip properties
Shoe and barefoot.
10 years warranty.




The richness of the triangle format allows you
to build **a wide variety of floor designs** to
suit your needs : monochrome, checkerboard,
zebra striped, marking, signage, etc.





Each subset of two triangles (the
square) can be assembled in any
direction, offering an infinite number
of patterns and graphic variations.

HOW TO UNCLIP THE TILES ?




AESTHETIC, RESISTANT, EASY AND QUICK TO INSTALL

- Can be installed **without glue** !
- The tiles needs **limited preparation** prior to installation.
- The cuts can be made with a **circular saw** or a **jigsaw**.
- No stopping of your activity ! **Very quick installation**
- The **color remains the same** because the tiles are molded in one unique operation.
- A simple wipe with a cloth or mop is all that is needed to clean it.




10 COLORS AVAILABLE

Ramps and angles available in all colors




Technical datasheet	Norms	Module Air X18
Thickness and hardness	EN 4282	18 mm
Dimensions (mm)	EN 426	400 x 400
Article code		MAIR18
Weight / tile	EN 430	0.7 kg/tile, 4.2 kg/m ²
Composition	ISO 2076	UV stabilized polypropylene Eco-friendly and recyclable
Barefoot slipperiness	DIN 51097	C : high slip resistance in wet conditions
Slipperiness with shoes on	DIN 51130	R9 (9.4°) : Normal grip, close to R10 (10°)
Fire class	EN ISO 11925-2 Efl	Efl-S1
Chemical resistance		Non-porous Resistant to oils and acids
Stability to UVs		Prevents the degradation of the tiles due to the sun's exposition
Service rules and packaging Average time noted after confirmation of the order = Delivery within 10 working days	EN 427	Packs of 6 tiles (12 triangles) 0.96 m ² = 4.2 kg Pallet of 100 packs = 96 m ² = 425 kg Dim 1150 X 1150 X 1800mm
Customs code		39181090

Ramps and angles available in all colors



THIS RANGE IS ALSO AVAILABLE IN RECYCLED POLYPROPYLENE

Recycled tiles have a smell that is not harmful to your health. Colours may vary from one production batch to another and may show imperfections due to the recycling process.



OUTDOOR AREAS






Designed for your outdoor areas:
terraces, patios, pool decks, balconies...

Ideal for areas exposed to rain and humidity.

With its symmetrical triangle system, the tiles can be set in any direction.



You can thus compose geometrical checkerboards but also more free and contemporary designs.



The panel of basic colors allows to increase the field of possibilities.

GARAGE AND WORKSHOP

PROFESSIONAL Garage



INDIVIDUALS Garage



Modulate your space without neglecting the aesthetics of your garage

Quick and easy to install with its locking system.
Adapts to all hard and flat surfaces.



IMPORTANT ADVICE : for indoor installation, check the fire classification of your premises before placing your order. If in any doubt, please contact us.

Drains water and allows the floor to breathe

Wide variety of installation patterns to create circulation, zoning or signage

